

## Preview of the Medifocus Guidebook on: Carcinoid Tumors

Updated January 6, 2020



This document is only a SHORT PREVIEW of the **Medifocus Guidebook on Carcinoid Tumors**. It is intended primarily to give you a general overview of the **format and structure** of the Guidebook as well as select pages from each major Guidebook section listed in the Table of Contents.

To purchase the COMPLETE Medifocus Guidebook on Carcinoid Tumors (174 pages; Updated January 6, 2020), please:

- Call us at:
  - 800-965-3002 (United States)
  - 301-649-9300 (Outside the United States)
- Order online through our website:
  - **Printed Version**
    - Mailed to you and bound for easy reading.
    - Includes free online access to the electronic guidebook for one full year.

[Purchase Printed Guidebook](#)

- **Electronic Version**
  - Adobe PDF document that can be viewed or printed on any computer
  - Online updates are included for one full year.

[Purchase Electronic Guidebook](#)

# Table of Contents

<b>Background Information</b> .....	8
Introduction .....	8
About Your Medifocus Guidebook .....	10
Ordering Full-Text Articles .....	13
<b>The Intelligent Patient Overview</b> .....	15
<b>Guide to the Medical Literature</b> .....	64
Introduction .....	64
Recent Literature: What Your Doctor Reads .....	65
Review Articles .....	65
General Interest Articles .....	78
Drug Therapy Articles .....	101
Surgical Therapy Articles .....	106
Clinical Trials Articles .....	115
<b>Centers of Research</b> .....	121
United States .....	123
Other Countries .....	138
<b>Tips on Finding and Choosing a Doctor</b> .....	162
<b>Directory of Organizations</b> .....	168

# 1 - Background Information

## Introduction

Chronic or life-threatening illnesses can have a devastating impact on both the patient and the family. In today's new world of medicine, many consumers have come to realize that they are the ones who are primarily responsible for their own health care as well as for the health care of their loved ones.

When facing a chronic or life-threatening illness, you need to become an educated consumer in order to make an informed health care decision. Essentially that means finding out everything about the illness - the treatment options, the doctors, and the hospitals - so that you can become an educated health care consumer and make the tough decisions. In the past, consumers would go to a library and read everything available about a particular illness or medical condition. In today's world, many turn to the Internet for their medical information needs.

The first sites visited are usually the well known health "portals" or disease organizations and support groups which contain a general overview of the condition for the layperson. That's a good start but soon all of the basic information is exhausted and the need for more advanced information still exists. What are the latest "cutting-edge" treatment options? What are the results of the most up-to-date clinical trials? Who are the most notable experts? Where are the top-ranked medical institutions and hospitals?

The best source for authoritative medical information in the United States is the National Library of Medicine's medical database called PubMed®, that indexes citations and abstracts (brief summaries) of over 7 million articles from more than 3,800 medical journals published worldwide. PubMed® was developed for medical professionals and is the primary source utilized by health care providers for keeping up with the latest advances in clinical medicine.

A typical PubMed® search for a specific disease or condition, however, usually retrieves hundreds or even thousands of "hits" of journal article citations. That's an avalanche of information that needs to be evaluated and transformed into truly useful knowledge. What are the most relevant journal articles? Which ones apply to your specific situation? Which articles are considered to be the most authoritative - the ones your physician would rely on in making clinical decisions? This is where *Medifocus.com* provides an effective solution.

*Medifocus.com* has developed an extensive library of *MediFocus Guidebooks* covering a wide spectrum of chronic and life threatening diseases. Each *MediFocus Guidebook* is a

high quality, up- to-date digest of "professional-level" medical information consisting of the most relevant citations and abstracts of journal articles published in authoritative, trustworthy medical journals. This information represents the latest advances known to modern medicine for the treatment and management of the condition, including published results from clinical trials. Each *Guidebook* also includes a valuable index of leading authors and medical institutions as well as a directory of disease organizations and support groups. *MediFocus Guidebooks* are reviewed, revised and updated every 4-months to ensure that you receive the latest and most up-to-date information about the specific condition.

## About Your MediFocus Guidebook

### ***Introduction***

Your *MediFocus Guidebook* is a valuable resource that represents a comprehensive synthesis of the most up-to-date, advanced medical information published about the condition in well-respected, trustworthy medical journals. It is the same type of professional-level information used by physicians and other health-care professionals to keep abreast of the latest developments in biomedical research and clinical medicine. The *Guidebook* is intended for patients who have a need for more advanced, in-depth medical information than is generally available to consumers from a variety of other resources. The primary goal of a *MediFocus Guidebook* is to educate patients and their families about their treatment options so that they can make informed health-care decisions and become active participants in the medical decision making process.

The *Guidebook* production process involves a team of experienced medical research professionals with vast experience in researching the published medical literature. This team approach to the development and production of the *MediFocus Guidebooks* is designed to ensure the accuracy, completeness, and clinical relevance of the information. The *Guidebook* is intended to serve as a basis for a more meaningful discussion between patients and their health-care providers in a joint effort to seek the most appropriate course of treatment for the disease.

### ***Guidebook Organization and Content***

#### **Section 1 - Background Information**

This section provides detailed information about the organization and content of the *Guidebook* including tips and suggestions for conducting additional research about the condition.

#### **Section 2 - The Intelligent Patient Overview**

This section of your *MediFocus Guidebook* represents a detailed overview of the disease or condition specifically written from the patient's perspective. It is designed to satisfy the basic informational needs of consumers and their families who are confronted with the illness and are facing difficult choices. Important aspects which are addressed in "The Intelligent Patient" section include:

- The etiology or cause of the disease
- Signs and symptoms
- How the condition is diagnosed
- The current standard of care for the disease
- Treatment options

- New developments
- Important questions to ask your health care provider

### **Section 3 - Guide to the Medical Literature**

This is a roadmap to important and up-to-date medical literature published about the condition from authoritative, trustworthy medical journals. This is the same information that is used by physicians and researchers to keep up with the latest developments and breakthroughs in clinical medicine and biomedical research. A broad spectrum of articles is included in each *MediFocus Guidebook* to provide information about standard treatments, treatment options, new clinical developments, and advances in research. To facilitate your review and analysis of this information, the articles are grouped by specific categories. A typical *MediFocus Guidebook* usually contains one or more of the following article groupings:

- *Review Articles*: Articles included in this category are broad in scope and are intended to provide the reader with a detailed overview of the condition including such important aspects as its cause, diagnosis, treatment, and new advances.
- *General Interest Articles*: These articles are broad in scope and contain supplementary information about the condition that may be of interest to select groups of patients.
- *Drug Therapy*: Articles that provide information about the effectiveness of specific drugs or other biological agents for the treatment of the condition.
- *Surgical Therapy*: Articles that provide information about specific surgical treatments for the condition.
- *Clinical Trials*: Articles in this category summarize studies which compare the safety and efficacy of a new, experimental treatment modality to currently available standard treatments for the condition. In many cases, clinical trials represent the latest advances in the field and may be considered as being on the "cutting edge" of medicine. Some of these experimental treatments may have already been incorporated into clinical practice.

The following information is provided for each of the articles referenced in this section of your *MediFocus Guidebook*:

- Article title
- Author Name(s)
- Institution where the study was done
- Journal reference (Volume, page numbers, year of publication)

- Link to Abstract (brief summary of the actual article)

*Linking to Abstracts:* Most of the medical journal articles referenced in this section of your *MediFocus Guidebook* include an abstract (brief summary of the actual article) that can be accessed online via the National Library of Medicine's PubMed® database. You can easily access the individual abstracts online via PubMed® from the "electronic" format of your *MediFocus Guidebook* by clicking on the corresponding URL address that is provided for each cited article. If you purchased a printed copy of a *MediFocus Guidebook*, you can still access the article abstracts online by entering the individual URL address for a particular article into your web browser.

## **Section 4 - Centers of Research**

We've compiled a unique directory of doctors, researchers, medical centers, and research institutions with specialized research interest, and in many cases, clinical expertise in the management of the specific medical condition. The "Centers of Research" directory is a valuable resource for quickly identifying and locating leading medical authorities and medical institutions within the United States and other countries that are considered to be at the forefront in clinical research and treatment of the condition.

Inclusion of the names of specific doctors, researchers, hospitals, medical centers, or research institutions in this *Guidebook* does not imply endorsement by Medifocus.com, Inc. or any of its affiliates. Consumers are encouraged to conduct additional research to identify health-care professionals, hospitals, and medical institutions with expertise in providing specific medical advice, guidance, and treatment for this condition.

## **Section 5 - Tips on Finding and Choosing a Doctor**

One of the most important decisions confronting patients who have been diagnosed with a serious medical condition is finding and choosing a qualified physician who will deliver high-level, quality medical care in accordance with currently accepted guidelines and standards of care. Finding the "best" doctor to manage your condition, however, can be a frustrating and time-consuming experience unless you know what you are looking for and how to go about finding it. This section of your *Guidebook* offers important tips for how to find physicians as well as suggestions for how to make informed choices about choosing a doctor who is right for you.

## **Section 6 - Directory of Organizations**

This section of your *Guidebook* is a directory of select disease organizations and support groups that are in the business of helping patients and their families by providing access to information, resources, and services. Many of these organizations can answer your questions, enable you to network with other patients, and help you find a doctor in your geographical area who specializes in managing your condition.

## 2 - The Intelligent Patient Overview

# CARCINOID TUMORS

### Introduction to Carcinoid Tumors

The *neuroendocrine system* is made up of cells that "connect" the nervous system and the endocrine system. Neuroendocrine cells release hormones (sometimes called *peptides*) into the circulatory system in response to a stimulus received from the nervous system. These specialized cells are scattered throughout the organs in the body and are the cells that give rise to neuroendocrine tumors.

*Neuroendocrine tumors* (NETs) include both *carcinoid tumors* and *pancreatic endocrine tumors* (PETs). Carcinoid tumors represent the largest number of neuroendocrine tumors and pose a significant challenge to the clinician because they produce a unique clinical syndrome. Consequently, their diagnosis is difficult and often delayed. The clinician requires a high index of suspicion and confirmation with biochemical tests in order to establish their diagnosis. Because the majority of neuroendocrine tumors of the pancreas and carcinoid tumors that involve the wall of the gut have similar biological characteristics, the approach to diagnosis and treatment can be applied broadly to all classes of NETs.

The origins of NETs are thought to occur in the enterchromaffin-like cells, which are present in the wall of the gastrointestinal tract, pancreas, and lung. Enterochromaffin-like cells are neuroendocrine cells in the gastric mucosa that control acid secretion by releasing histamine. In normal physiology these cells regulate *secretion* and *motility* (movement of food through the digestive tract).

There are many types of tumors that arise from the neuroendocrine system of which carcinoid tumors are the most common. Carcinoid tumors were initially identified in 1888 and were thought to clinically and histologically (cellular appearance under a microscope) resemble carcinoma cells (highly malignant cancer cells) but behave in a more benign fashion than true cancer cells. Over the years it became clear that carcinoid tumors can be quite aggressive, can metastasize, and can cause *carcinoid syndrome*. Most carcinoid tumors are now known to be slow growing malignant tumors that have their own specific biological and clinical characteristics.

Like many types of cells in the body, neuroendocrine cells can begin to reproduce out of control and cause cancer. This occurs more commonly as part of the Multiple Endocrine Neoplasia (MEN) Type I Syndrome which is characterized by a genetic mutation as described later. Carcinoid tumors share some properties with other cancer cells such as uncontrolled, overproduction of the cells that results in tumor formation and malignant potential. However, carcinoid tumor cells are distinguished from most other types of tumors in that they secrete various hormone-like substances (e.g., serotonin, noradrenalin, histamines) which may cause symptoms throughout the body rather



than symptoms localized to the organ where the tumor originates.

Carcinoid tumors can appear anywhere neuroendocrine cells are present including the gastrointestinal (GI) tract, lungs, ovaries, pancreas, appendix, small and large intestine, testes, and rectum. The location of origin of carcinoid tumors is divided into three categories:

- *Foregut Carcinoid Tumors* - These tumors originate in the lungs, thymic gland, pancreas, stomach, and duodenum (lung and stomach are most common locations)
- *Midgut Carcinoid Tumors* - These tumors originate in the small intestines, appendix, and right colon (small intestines and appendix are most common locations)
- *Hindgut Carcinoid Tumors* - These tumors originate in the large intestines, specifically in the transverse colon, descending colon, and rectum (rectum is most common location)

The largest number of neuroendocrine cells is found in the gastrointestinal tract, since it is the largest endocrine organ in the body. Indeed, according to the National Cancer Data Registry, approximately 70% of carcinoid tumors arise from locations within the gastrointestinal tract and up to 25% arise from the lungs.

Carcinoid tumors of the lung can be divided into two types:

- *Typical carcinoids* which grow slowly and only rarely spread beyond the lungs. They are usually found along the major airways and, according to the American Cancer Society, are approximately nine times more common than atypical carcinoids.
- *Atypical carcinoids* are faster growing tumors and are more likely to spread to other organs. They are also more likely to be located in the peripheral areas of the lung.

Although estimates vary regarding the incidence of specific locations of origin for carcinoid tumors, the Carcinoid Cancer Foundation reports that approximately two-thirds of diagnosed cases arise from the GI tract. Within the GI tract, the incidence of tumor by location is:

- Small intestines - 39%
- Appendix -26%
- Rectum - 15%
- Colon - 5-7%
- Stomach - 2-4%

An updated population-based review of carcinoid tumor that was published in 2004 in *Annals of Surgery* (vol.240(1):117-122) reported that tumors of the GI tract accounted for approximately 55% of all carcinoids and that the breakdown of carcinoid tumor within the GI tract includes:

- Small intestines - 44%
- Rectum - 19%
- Appendix - 16%
- Colon - 10%
- Stomach - 7%

There are approximately 3,000 cases of carcinoid cancer arising from the lung diagnosed each year. They comprise one to two percent of all lung cancers.

Other locations for carcinoid tumors (e.g., testis, ovary, prostate, breast, bladder, larynx) are infrequent or rare and account for only about 3 to 5% of all carcinoid tumors. It is estimated that in up to 15% of patients with carcinoid tumors, distant metastases have developed by the time they are diagnosed with a carcinoid tumor.

The potential for malignant growth of carcinoid tumors appears to be related to several factors including:

- The site at which the tumor originates
- The depth of tumor invasion into adjacent tissue
- The size of the tumor

It is estimated that approximately 10% of patients with carcinoid tumors develop *carcinoid syndrome* that manifests itself with symptoms related to the various substances produced by the tumors. A more detailed description of carcinoid syndrome follows later in this section.

## ***Carcinoid Tumor Statistics***

According to the American Society of Clinical Oncology (ASCO), approximately 11,500 people in the United States are diagnosed each year with a carcinoid tumor. About 66% of all carcinoid tumors develop in the gastrointestinal tract. If the tumor can be surgically removed and has not spread outside of the organ where it started, the 5-year relative survival rate for gastrointestinal carcinoid tumors is in the range of 70% to 90%. The next most common site for the development of carcinoid tumors is in the lungs. Approximately 3,000 new cases of lung carcinoid tumors are diagnosed in the United States each year. There are two types of lung carcinoid tumors:

- Typical carcinoid lung tumors - grow slowly and rarely metastasize (spread) to other areas of the body. About 90% of all carcinoid lung tumors are classified as "typical".
- Atypical carcinoid lung tumors - more aggressive than typical carcinoid lung tumors and are more likely to spread to other organs. Approximately 10% of all carcinoid lung tumors are classified as "atypical".

According to ASCO, the 5-year relative survival rate for lung carcinoid tumors is as follows:

- Typical carcinoid lung tumors - 85% to 90%
- Atypical carcinoid lung tumors - 50% to 60%

Carcinoid tumors are in general quite rare and occur in approximately 2.5-5 per 100,000 people. It is probable that more people may actually have carcinoid tumors but because carcinoids are often asymptomatic, an individual may never know that a carcinoid has developed. Consequently, the majority of cases are discovered incidentally during a routine medical examination. The age at diagnosis varies somewhat among specific tumor locations but typically, most people diagnosed

with carcinoid tumor are in their 50s.

Carcinoid tumors are more prevalent among African-American males (approximately 4.5 per 100,000 people) than among Caucasian males (approximately 2.5 per 100,000 people). Estimates vary as to whether the incidence is equal among men and women or if it is slightly higher for men. The most common site of carcinoid tumor occurrence for men is in the small intestines and the appendix for women. Carcinoid lung cancer is more common in Caucasians than in African-American, Asian-Americans, or Hispanic/Latinos. It is more common in women than men and the average age at diagnosis is 60.

While the incidence of carcinoid tumors has increased over the past 30 years, it is not clear whether this is due to unknown factors or if it is due to the improvement of diagnostic testing so that more cases are being identified. With the recent ability to measure serum hormone levels combined with refined diagnostic imaging studies the increase in the incidence probably reflects a greater public awareness of these tumors. The majority of patients with carcinoid tumors present in the fifth decade of life. In general these patients are otherwise healthy and there are no pre-existing medical problems or environmental exposures. Some studies have suggested that patients with carcinoid tumors may have a higher risk of developing other malignancies.

## ***Pathology of Carcinoid Tumors***

The term "carcinoid" tumor was originally used to describe a group of tumors that were thought to be benign (non-malignant). It is now clear that while carcinoid tumors are slow growing, depending on certain factors, they do carry a significant metastatic potential. Morphologically (by cellular appearance) there are approximately five different types of carcinoid tumor cells ranging from very well defined types, which carry the best prognosis, to undifferentiated types, which are associated with a poorer prognosis. There is also increased vascularity (blood supply) within the tumor.

Histologically, carcinoid tumors are characterized by monotonous sheets of cells containing small compact nuclei that are uniform in appearance and contain electron dense granules that contain biologically active amines and/or neuropeptides. These granules contain chromogranins (A and C), neuron specific enolase and synaptophysins in varying concentrations that can be measured to assess the biological function of the tumors.

Carcinoid tumors are unique from other cancer cell in that they produce numerous hormone-like substances including:

- Amines
  - serotonin
  - noradrenalin
- Polypeptides
  - ACTH (adrenocorticotrophic hormones)

- gastrin
  - insulin
  - growth hormone
- 
- Prostaglandins

Each of these hormone-like substances can cause varying types of symptoms.

In many cases, the location of the primary tumor can be identified based on the bioactive hormone-like substances that it produces. These include:

- *Foregut tumors* - produce low amounts of serotonin but higher levels of other substances such as gastrin, 5-HTP, and corticotropins.
- *Midgut tumors* - tend to produce serotonin and tachykinins which are responsible for the symptoms of carcinoid syndrome when the tumor spreads to the liver
- *Hindgut tumors* - do not produce serotonin but may produce other hormones (e.g., low levels of gastrin)

Studies have shown that serum (blood) levels of a particular hormone have little predictive value for assessing the malignant potential of carcinoid tumors. Furthermore, the size of a particular tumor does not necessarily correlate with the level of hormone production or the severity of the clinical syndrome.

## ***Risk Factors for Carcinoid Tumors***

Though risk factors for the development of carcinoid tumors have not been clearly established, there appear to be some patterns that have emerged including:

- Age - most cases of carcinoid tumors appear in the 4th to 5th decade of life
- Race - incidence of carcinoid tumors is higher among African American men than Caucasian men
- Gender - some studies have shown that there may be a higher incidence of carcinoid tumors among men than women
- Family history - there appears to be a familial component since first degree relatives of patients have a higher risk of developing carcinoid tumors.
- Social history- there does not appear to be an association with environmental toxins, alcohol or tobacco products.
- Preexisting stomach conditions that relate to the production of stomach acid may increase the risk of developing carcinoid tumors of the GI tract.
- Smoking - the American Cancer Society estimates that smoking may double the risk of developing carcinoid tumors in the small intestines but seems to be unrelated to carcinoid tumors of the lung.

- Genetic component - there are three hereditary syndromes where genetic mutations may predispose individuals towards developing carcinoid tumors:
  - Multiple Endocrine Neoplasm Syndrome type 1 (MEN1) -mutation appears on chromosome 11. This is thought to elevate the risk of carcinoid tumors in the stomach.
  - Von Hippel-Landau Disease (VHL) - mutation is found on chromosome 3
  - Neurofibromatosis type 1 (NF-1) - the mutation for this disorder appears on chromosome 17

Better ways of identifying genetic aspects related to carcinoid tumors are being investigated on an ongoing basis and progress is being made such as relating midgut carcinoid tumors with abnormalities on chromosomes 11 and 18. This knowledge will eventually be helpful regarding screening, identification of those people at high risk, and treatment.

## ***Multiple Endocrine Neoplasm Syndrome (MEN)***

There are three major patterns of disease that comprise the MEN syndrome: type I and type II, which has been subdivided into MEN IIA and IIB. With the cloning of the genes for MEN we have a better understanding of the pattern of gene mutations occurring among affected families. Tumors involved in the MEN syndromes occur within endocrine, gastrointestinal, or neural (nervous system) tissues. MEN syndromes are inherited as autosomal dominant genes with varying degrees of penetrance. Therefore, the same mutation may manifest itself clinically in affected individuals at differing ages. There may also be variability in the malignant potential of neuroendocrine tumors within a given family.

### **MEN I Tumor Genetics**

MEN-1 is an inherited syndrome characterized by the occurrence of neoplastic tumors involving the parathyroid, pancreas, gastrointestinal tract and lung. The MEN I gene locus (MENIN gene) is assigned to 11q13 and inactivating mutations of this gene result in the syndrome. Patients with this disorder have been demonstrated to have losses of heterozygosity (LOH) of this gene. Now that the gene locus has been discovered, it is possible to determine the patterns of inheritance observed in MEN I.

### **MEN I-Associated Tumors**

The MEN-1 Syndrome is associated with the development of gastroenteropancreatic (GEP) tumors, including carcinoid tumors. This association appears to be genetically linked and hyperparathyroidism (a condition marked by over production of the hormone parathormone by the parathyroid glands) occurs in 60% of the affected patients by age 20 and virtually 100% of patients by age 30. Pancreatic endocrine tumors (gastrinomas, glucagonomas, VIPomas, Ppomas and somatostatinomas) occur in 50% of patients.

MEN I, or Wermer's syndrome, usually present with hypercalcemia (the presence of an abnormally high concentration of calcium in the blood) or complications of hypercalcemia such as kidney stones. The clinical findings that are generally seen in descending order of frequency include:

- nephrolithiasis - the presence of kidney stones (calculi) in the kidneys
- peptic ulcer disease
- hypoglycemia - low blood sugar
- headache
- visual-field loss
- hypopituitarism - underactive pituitary gland resulting in low levels of pituitary hormones
- acromegaly - excessive growth due to overproduction of growth hormone by the pituitary gland
- galactorrhea - excessive or spontaneous flow of breast milk usually in a woman who is not breastfeeding
- amenorrhea - absence of menstruation
- Cushing's syndrome - a disease caused by the overproduction of the hormone cortisol by the adrenal glands
- complications related to the development of islet cell tumors of the pancreas.
- nephrocalcinosis - a kidney disorder involving the deposition of calcium and oxalate in the renal tubules of the kidneys.

The *Zollinger-Ellison Syndrome (ZES)*, a rare disorder that causes tumors in the pancreas and duodenum and ulcers in the stomach and duodenum, occurs in approximately one-third of patients with MEN I. As a corollary, approximately 25% of patients with the Zollinger-Ellison Syndrome also have MEN-1; therefore MEN I screening is recommended in all patients with ZES.

Carcinoid tumors particularly involving the duodenum are seen in a significant number of patients with MEN-1 and occur more frequently when both ZES and MEN I are present. Generally carcinoid tumors are identified in the gastric and duodenum. In general these carcinoids appear to be less metastatic than in sporadic carcinoid tumor (i.e., carcinoid tumors in patients who do not have the MEN I syndrome).

Specific skin abnormalities have been recently identified in MEN-1 patients. These skin abnormalities include multiple angiofibromas, collagenomas, and lipomas.

The prognosis of NETs associated with the MEN-I syndrome has been controversial. In one study approximately half of the patients died as a direct result of a MEN I-specific illness that included islet cell tumors, peptic ulcer disease, hypercalcemia/uremia and carcinoid syndrome.

The **Intelligent Patient Overview** in the complete **Medifocus Guidebook on Carcinoid Tumors** also includes the following additional sections:

- **Diagnosis of Carcinoid Tumors**
- **Treatment Options for Carcinoid Tumors**
- **The Role of Complementary and Alternative Therapies in Cancer**
- **Quality of Life Issues in Cancer**
- **New Developments in Carcinoid Tumors**
- **Questions to Ask Your Health Care Provider about Carcinoid Tumors**

To Order the Complete **Guidebook on Carcinoid Tumors** [Click Here](#)  
Or Call 800-965-3002 (USA) or 301-649-9300 (Outside USA)

## 3 - Guide to the Medical Literature

### Introduction

This section of your *MediFocus Guidebook* is a comprehensive bibliography of important recent medical literature published about the condition from authoritative, trustworthy medical journals. This is the same information that is used by physicians and researchers to keep up with the latest advances in clinical medicine and biomedical research. A broad spectrum of articles is included in each *MediFocus Guidebook* to provide information about standard treatments, treatment options, new developments, and advances in research.

To facilitate your review and analysis of this information, the articles in this *MediFocus Guidebook* are grouped in the following categories:

- Review Articles - 34 Articles
- General Interest Articles - 59 Articles
- Drug Therapy Articles - 13 Articles
- Surgical Therapy Articles - 21 Articles
- Clinical Trials Articles - 13 Articles

The following information is provided for each of the articles referenced in this section of your *MediFocus Guidebook*:

- Title of the article
- Name of the authors
- Institution where the study was done
- Journal reference (Volume, page numbers, year of publication)
- Link to Abstract (brief summary of the actual article)

**Linking to Abstracts:** Most of the medical journal articles referenced in this section of your *MediFocus Guidebook* include an abstract (brief summary of the actual article) that can be accessed online via the National Library of Medicine's PubMed® database. You can easily access the individual abstracts online via PubMed® from the "electronic" format of your *MediFocus Guidebook* by clicking on the URI that is provided for each cited article. If you purchased a printed copy of the *MediFocus Guidebook*, you can still access the abstracts online by entering the individual URI for a particular abstract into your computer's web browser.



## Recent Literature: What Your Doctor Reads

Database: PubMed <January 2016 to January 2020>

### Review Articles

1.

#### **Metastatic Bilateral Strumal Carcinoid: A Case Report and Review of the Literature.**

**Authors:** Borghese M; Razzore P; Ferrero A; Daniele L; Mariani LL; Sgro LG; DE Rosa G; Biglia N  
**Institution:** Academic Department of Gynecology and Obstetrics, University of Turin, Mauriziano Hospital, Turin, Italy martina.borghese1989@gmail.com. Hospital, Turin, Italy. Hospital, Turin, Italy. Hospital, Turin, Italy. Hospital, Turin, Italy.  
**Journal:** Anticancer Res. 2019 Sep;39(9):5053-5056. doi: 10.21873/anticancer.13697.  
**Abstract Link:** <http://www.medifocus.com/abstracts.php?gid=GS019&ID=31519614>

2.

#### **Neuroendocrine Tumors of the Fallopian Tube: Report of a Case Series and Review of the Literature.**

**Authors:** Grondin K; Lidang M; Boenelycke M; Alvarado-Cabrero I; Herrington CS; McCluggage WG  
**Institution:** Pathology Department, L'Hotel-Dieu de Quebec, Centre Hospitalier Universitaire de Quebec, Laval University, Quebec City, QC, Canada (K.G.) Pathology Department, Herlev Hospital, Copenhagen University Hospital, Herlev, Denmark (M.L., M.B.) Pathology Department, del Hospital de Oncologia, Mexico City, Mexico (I.A.-C.) Edinburgh Cancer Research Centre, Institute of Genetics and Molecular Medicine, University of Edinburgh Division of Pathology, Edinburgh, United Kingdom (C.S.H.) Department of Pathology, Belfast Health and Social Care Trust, Belfast, United Kingdom (W.G.M.).  
**Journal:** Int J Gynecol Pathol. 2019 Jan;38(1):78-84. doi: 10.1097/PGP.0000000000000458.  
**Abstract Link:** <http://www.medifocus.com/abstracts.php?gid=GS019&ID=29019870>

The **Guide to the Medical Literature** in the complete **Medifocus Guidebook on Carcinoid Tumors** includes the following sections:

- Review Articles - 34 Articles
- General Interest Articles - 59 Articles
- Drug Therapy Articles - 13 Articles
- Surgical Therapy Articles - 21 Articles
- Clinical Trials Articles - 13 Articles

To Order the Complete **Guidebook on Carcinoid Tumors** [Click Here](#)  
Or Call 800-965-3002 (USA) or 301-649-9300 (Outside USA)

## 4 - Centers of Research

This section of your *MediFocus Guidebook* is a unique directory of doctors, researchers, medical centers, and research institutions with specialized research interest, and in many cases, clinical expertise in the management of this specific medical condition. The *Centers of Research* directory is a valuable resource for quickly identifying and locating leading medical authorities and medical institutions within the United States and other countries that are considered to be at the forefront in clinical research and treatment of this disorder.

Use the *Centers of Research* directory to contact, consult, or network with leading experts in the field and to locate a hospital or medical center that can help you.

The following information is provided in the *Centers of Research* directory:

- **Geographic Location**

- United States: the information is divided by individual states listed in alphabetical order. Not all states may be included.
- Other Countries: information is presented for select countries worldwide listed in alphabetical order. Not all countries may be included.

- **Names of Authors**

- Select names of individual authors (doctors, researchers, or other health-care professionals) with specialized research interest, and in many cases, clinical expertise in the management of this specific medical condition, who have recently published articles in leading medical journals about the condition.
- E-mail addresses for individual authors, if listed on their specific publications, is also provided.

- **Institutional Affiliations**

- Next to each individual author's name is their **institutional affiliation** (hospital, medical center, or research institution) where the study was conducted as listed in their publication(s).
- In many cases, information about the specific **department** within the medical institution where the individual author was located at the time the study was conducted is also provided.

## Centers of Research

### United States

#### CA - California

**Name of Author**

Kakar S

**Institutional Affiliation**

Department of Pathology, University of California, San Francisco, San Francisco, CA 91343, United States. CA 91343, United States. CA 91343, United States. Electronic address: sanjay.kakar@ucsf.edu.

Marchevsky AM

Department of Pathology and Laboratory Medicine, Cedars-Sinai Medical Center, Los Angeles, CA, United States of America. Electronic address: Ann.Walts@cshs.org.

Walts AE

Department of Pathology and Laboratory Medicine, Cedars-Sinai Medical Center, Los Angeles, CA, United States of America. Electronic address: Ann.Walts@cshs.org.

Wang HL

Department of Pathology and Laboratory Medicine, University of California at Irvine, Orange.; Department of Pathology and Laboratory Medicine, University of California at Los Angeles, Los Angeles, CA.

Wen KW

Department of Pathology, University of California, San Francisco, San Francisco, CA 91343, United States. CA 91343, United States. CA 91343, United States. Electronic address: sanjay.kakar@ucsf.edu.

Zhang K

Department of Pathology and Laboratory Medicine, University of California at Irvine, Orange.; Department of Pathology and Laboratory Medicine, University of California at Los Angeles, Los Angeles, CA.

#### CT - Connecticut

**Name of Author**

Guadalupe E

**Institutional Affiliation**

Yale Cancer Center, Smilow Cancer Hospital, New Haven, Connecticut, USA. hari.deshpande@yale.edu.

The **Centers of Research** in the complete **Medifocus Guidebook on Carcinoid Tumors** includes the following sections:

- Centers of Research for relevant states in the United States
- Centers of Research listed for relevant countries outside the United States

To Order the Complete **Guidebook on Carcinoid Tumors** [Click Here](#)  
Or Call 800-965-3002 (USA) or 301-649-9300 (Outside USA)

# 5 - Tips on Finding and Choosing a Doctor

## Introduction

One of the most important decisions confronting patients who have been diagnosed with a serious medical condition is finding and choosing a qualified physician who will deliver a high level and quality of medical care in accordance with currently accepted guidelines and standards of care. Finding the "best" doctor to manage your condition, however, can be a frustrating and time-consuming experience unless you know what you are looking for and how to go about finding it.

The process of finding and choosing a physician to manage your specific illness or condition is, in some respects, analogous to the process of making a decision about whether or not to invest in a particular stock or mutual fund. After all, you wouldn't invest your hard earned money in a stock or mutual fund without first doing exhaustive research about the stock or fund's past performance, current financial status, and projected future earnings. More than likely you would spend a considerable amount of time and energy doing your own research and consulting with your stock broker before making an informed decision about investing. The same general principle applies to the process of finding and choosing a physician. Although the process requires a considerable investment in terms of both time and energy, the potential payoff can be well worth it--after all, what can be more important than your health and well-being?

This section of your Guidebook offers important tips for how to find physicians as well as suggestions for how to make informed choices about choosing a doctor who is right for you.

## Tips for Finding Physicians

Finding a highly qualified, competent, and compassionate physician to manage your specific illness or condition takes a lot of hard work and energy but is an investment that is well-worth the effort. It is important to keep in mind that you are not looking for just any general physician but rather for a physician who has expertise in the treatment and management of your specific illness or condition. Here are some suggestions for where you can turn to identify and locate physicians who specialize in managing your disorder:

- **Your Doctor** - Your family physician (family medicine or internal medicine specialist) is a good starting point for finding a physician who specializes in your illness. Chances are that your doctor already knows several specialists in your geographic area who specialize in your illness and can recommend several names to you. Your doctor can also provide you with information about their qualifications, training, and hospital affiliations.

The **Tips on Finding and Choosing a Doctor** in the complete **Medifocus Guidebook on Carcinoid Tumors** includes additional information that will assist you in locating a highly qualified and competent physician to manage your specific illness.

To Order the Complete **Guidebook on Carcinoid Tumors** [Click Here](#)  
Or Call 800-965-3002 (USA) or 301-649-9300 (Outside USA)

## 6 - Directory of Organizations

### **American Cancer Society**

1599 Clifton Road NE; Atlanta, GA 30329-4251  
800.227.2345 404.486.0100; 866.228.4327 (TTY)  
[www.cancer.org](http://www.cancer.org)

### **American College of Gastroenterology**

POB 342260; Bethesda, MD 20827  
301.263.9000  
[www.acg.gi.org](http://www.acg.gi.org)

### **American Institute for Cancer Research; Nutrition Hotline**

1759 R St., NW.; Washington, DC 20009  
800.843.8114 202.328.7744  
[aicrweb@aicr.org](mailto:aicrweb@aicr.org)  
[www.aicr.org](http://www.aicr.org)

### **Association of Cancer Online Resources**

[www.acor.org](http://www.acor.org)

### **Cancer Care**

275 Seventh Avenue; New York, NY 10001  
800.813.4673; 212.712.8400  
[info@cancercares.org](mailto:info@cancercares.org)  
[www.cancercares.org](http://www.cancercares.org)

### **Cancer Caring Center**

4117 Liberty Avenue; Pittsburgh, PA 15224  
412.622.1212  
[info@cancercaring.org](mailto:info@cancercaring.org)  
[www.cancercaring.org](http://www.cancercaring.org)

### **Cancer Hope Network**

2 North Road; Chester, NJ 07930  
877.467.3638; 908.879.4039  
[info@cancerhopenetwork.org](mailto:info@cancerhopenetwork.org)  
[www.cancerhopenetwork.org](http://www.cancerhopenetwork.org)



The **Directory of Organizations** in the complete **Medifocus Guidebook on Carcinoid Tumors** includes a list of selected disease organizations and support groups that are helping people diagnosed with Carcinoid Tumors.

To Order the Complete **Guidebook on Carcinoid Tumors** [Click Here](#)  
Or Call 800-965-3002 (USA) or 301-649-9300 (Outside USA)



This document is only a SHORT PREVIEW of the **Medifocus Guidebook on Carcinoid Tumors**. It is intended primarily to give you a general overview of the **format and structure** of the Guidebook as well as select pages from each major Guidebook section listed in the Table of Contents.

To purchase the COMPLETE Medifocus Guidebook on Carcinoid Tumors (174 pages; Updated January 6, 2020), please:

- Call us at:
  - 800-965-3002 (United States)
  - 301-649-9300 (Outside the United States)
- Order online through our website:
  - **Printed Version**
    - Mailed to you and bound for easy reading.
    - Includes free online access to the electronic guidebook for one full year.

[Purchase Printed Guidebook](#)

- **Electronic Version**
  - Adobe PDF document that can be viewed or printed on any computer
  - Online updates are included for one full year.

[Purchase Electronic Guidebook](#)

## Disclaimer

*Medifocus.com, Inc.* serves only as a clearinghouse for medical health information and does not directly or indirectly practice medicine. Any information provided by *Medifocus.com, Inc.* is intended solely for educating our clients and should not be construed as medical advice or guidance, which should always be obtained from a licensed physician or other health-care professional. As such, the client assumes full responsibility for the appropriate use of the medical and health information contained in the Guidebook and agrees to hold *Medifocus.com, Inc.* and any of its third-party providers harmless from any and all claims or actions arising from the clients' use or reliance on the information contained in this Guidebook. Although *Medifocus.com, Inc.* makes every reasonable attempt to conduct a thorough search of the published medical literature, the possibility always exists that some significant articles may be missed.

## Copyright

© Copyright 2017, *Medifocus.com, Inc.* All rights reserved as to the selection, arrangement, formatting, and presentation of the information contained in this report, including our background and introductory information.